DEVELOPING DOUBLE-ENTRY TREE VOLUME TABLE FOR ASH IN TURKEY

Nuray MISIR
Mehmet MISIR
KTU Faculty of Forestry, 61080, TRABZON, TURKEY
nuray@ktu.edu.tr

Geliş Tarihi: 07.09.2004

Abstract: The objective of this study is to construct double-entry tree volume table for ash (*Fraxinus angustifolia* subsp. *oxycarpa*) in Turkey. Total 391 sample trees were selected from ash stands in Turkey for this objective. By using Smalian's formula, the volume of each section in a sample tree stem was calculated. Regression Analysis was used and total twenty-six equations were examined according to six performance criteria (Average Residuals or Bias, Average Absolute Residual, Standard Deviation of the Residual or Precision, Percent Variation Explained, Percent Total Error and Percent Absolute Mean Error). Coefficient of determination, standard error, total error and absolute mean error of the best fitted volume equation were found 0.987, 0.312 m³, -0.02 % and 10.13 % respectively. The equation was also tested with another independent data set and concluded that the equation could be used for other ash stands in Turkey with 0.05 significant level. **Key words**: Ash, Smalian's formula, stem volume, volume table.

DİŞBUDAK (*Fraxinus angustifolia* subsp. *oxycarpa*) ÇİFT-GİRİŞLİ AĞAÇ HACİM TABLOSUNUN DÜZENLENMESİ

Özet: Bu çalışmada dişbudak türü için çift girişli ağaç hacim tablosunun düzenlenmesi amaçlanmıştır. Bu amaçla doğal yayılış alanı içerisinde bulunan meşcere ve küçük ağaç topluluklarından toplam 391 adet örnek ağaç üzerinde ölçümler yapılmıştır. Alınan örnek ağaçların hacimleri Smalian formülünü kullanan "Bölümleme (Seksiyon) Yöntemi"ne göre hesaplanmıştır. Bu veriler üzerinde Regresyon analizi yöntemi ile 26 adet denklem denenmiş ve Ortalama Hata, Ortalama Mutlak Hata, Hataların Standart Sapması, Açıklanan Varyans Yüzdesi, Toplam Hata Yüzdesi ve Ortalama Mutlak Hata Yüzdesinden oluşan altı ölçüte göre değerlendirilmiştir. Bu ölçütlere göre seçilen en uygun denklemin belirtme katsayısı 0.987, standart hatası 0.312 m³, toplam hatası % -0.02 ve ortalama mutlak hatası % 10.13 olarak belirlenmiştir. Elde edilen hacim denklemi bağımsız bir veri grubu ile test edilmiş ve 0.05 güven düzeyinde Türkiye'deki dişbudak meşcereleri için de kullanılabileceği sonucuna varılmıştır.

Anahtar Kelimeler: Dişbudak, Smalian Formülü, gövde hacmi, hacim tablosu

1. INTRODUCTION

Turkey forests have been managed according to Forest Management Plans. It is necessary that stand volume is known to prepare forest management plans. There are various methods in calculating stand volume (1, 2). Tree volume tables are generally used to calculate stand volume in Turkey. Standing volume of a tree can be calculated according to only dbh (diameter at breast height) (single-entry tree volume tables) or according to dbh and tree height (double-entry tree volume tables) or diameters at certain heights (e.g. diameter at 6 m or 7 m) in addition to dbh and tree height (multiple-entry tree volume tables).

Single-entry tree volume tables show stem volume depending on only dbh. Apparently, error amount of these tables is greater than that of double and multi-entry volume tables. In double-entry volume tables, tree height takes into consideration in addition to dbh, thus error amounts decrease gradually. Form factors of trees with the same dbh and the same height that cause their volumes are also different. This situation is the disadvantage of double-entry volume tables because it is assumed that the volumes of two trees whose diameter at breast height and height are equal even if form factors of these trees are different.

However measurement of form factor is not practical. In this reason multi-entry tree volume tables are generally used in scientific researches.

The error amounts of single-entry tree volume tables are high. Accordingly, these are not used except for practical calculations. In contrast, double-entry tree volume tables are widely used. A lot of double-entry stem volume tables have been constructed for hardwoods and softwoods in different regions of Turkey except for ash.

The objective of this study is to construct double-entry stem volume table for ash, one of the most important commercial forest species in Turkey.

2. MATERIALS

Total 391 sample trees obtained from both ash stands and free growing ash trees in different age, diameter and height classes, were selected to construct double-entry stem volume table for ash. Sample trees were taken with an effort to equal allocation to each diameter and height classes. Meanwhile, sample trees should be alive, healty-headed and non-pruned. They were taken from four forest Conservancies, Regional Forest Headquarters in Turkey (Amasya, Giresun, Trabzon, and Artvin) and private forests in natural range of ash. 391 sample trees ranging in diameters from 6 to 112 cm and heights from 6 to 40 meters were selected from fourteen different regions, three altitude classes, five slope classes. Distribution of sample trees according to Forest Conservancy, Regional Forest Headquarters was given in Table 1.

Table 1. Distribution of sample trees according to forest conservancy

S Directorate of Forest Enterprise	Number of Sample Trees
Sinop	251
Samsun	95
Şebinkarahisar	10
Trabzon	10
Sürmene	5
Borçka	5
Murgul	15
Total	391
	Sinop Samsun Şebinkarahisar Trabzon Sürmene Borçka Murgul

The validation of a model should involve independent data. The present study data were partitioned in two groups, one for model development and one for validation. Many solutions for partitioning of such data are at hand, both with respect to method and with respect to number of observations in the respective data sets (3). In order to secure the range of diameter and height classes in both data sets, simple random sampling was used in the present study. The data set used for model development comprised approximately 77.5 % of the observations (303), while the remaining 22.5 % of the observations (88) were used for validation. Although the number of observations determined for model development was made relatively large in order to provide sufficient data for the model development phase, the number of observations in the test data still should be large enough for validation and appropriate statistical test. Distributions of data set for model development and test data set for validation by diameter and height classes were given in Table 2 and Table 3, respectively.

Tablo 2. Distribution of sample trees by diameter and height classes for model development

Dbh classes							Hei	ght	cla	sses	(m	eter	.)						Total
(cm)	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39	Total
6	1	1	2																4
10		2	3	1		2													8
14			3	2	1	2	1												9
18				1	3	2		2	2										10
22					5	2		3	3	3	2	1		1					20
26					1	2	3	5	6	4	3	3	1						28
30							6	2	1	1	3	4		1	1		1		20
34						1	2		3	1	6	3	2	3	2	2			25
38							2	2	1	2	2	4	5	1	5				24
42									2	4	1	2	1	7	6				23
46								1	1	2	1	3	5	4	5	6	2		30
50												2		4	8	11	2		27
54										1			1	2	7	5	2		18
58													1	3	10				14
62														2	6	4	2	1	15
66										1				2	3	4			10
70																	5		5
74																2			2
78																1			1
82															1				1
86													1				1		2
90															2	1			3
94																			-
98																			_
102																			-
106																2	1		3
110															1				1
Total	1	3	8	4	10	11	14	15	19	19	18	22	17	30	57	38	16	1	303

Diameters of sample trees were measured at ground level, stump level, breast height and in each meter towards top of tree.

Breast height was marked on the trees which were then felled, leaving a stump of 30 cm high. Thereafter, the stem was cut into one meter long sections until the section containing a 0.5 cm diameter o.b. was reached. The length of the remaining portion of the stem above the ground level of the tree was calculated by summing up the length of all sections. The volume of the topmost section was calculated on the assumption that it was conical. The volume of the first butt section was calculated using Huber's formula. The volumes of the remaining sections were calculated using Smalian's formula. Total tree volume, in cubic meter o.b., including stump volume, was obtained by summing the volumes of the sections.

Table 3. Distribution of test data set by diameter and height classes for validation

Table 3. Distri	buti	on c	of te	st da	ta se	t by	dia	met	er a	nd I	neig	ght c	class	ses	tor `	valı	dati	on	
dbh classes							eigh												Total
(cm)	5	7	9	11	13	15	17	19	21	23	25	27	29	31	33	35	37	39	Totai
6	1																		1
10		1	1		1														3
14				4															4
18					3														3
22				1	2	1				1	1	1							7
26						2	1			1	1	1							6
30					1				1	2	2	1				1			8
34									1	3		3	1	1					9
38					1	1		1	3		1	1	1	1					10
42							1			1	1		1		1				5
46									1		1		1	1					4
50									1			2					2		5 5
54										3			1			1			
58													2		1	1	1		5
62														1	2		1		4
66																			-
70														1					1
74																			-
78															1				1
82																			-
86																1	1		2
90														1					1
94																			-
98																			-
102																1			1
106																		2	2
110																1			1
Total	1	1	1	5	8	4	2	1	7	11	7	9	7	6	5	6	5	2	88

3. METHODS

The Regression Analysis method was used for construction of double-entry stem volume table for ash. The Regression Analysis method requires both dependent variable and independent (explicatory) variables. Dependent variable was stem volume calculated according to section method using Smalian's formula for each tree. Independent (explicatory) variables were diameter, total tree height, and some combinations of diameter and total height. With more detailed expression; diameter (D), total tree height (H), multiplication of diameter and total tree height (DH), square of diameter (D²H), multiplication of diameter and square of total tree height (DH²), inverse of diameter (1/D), inverse of total tree height (1/H), the logarithm of diameter (LogD), the logarithm of total tree height (LogH), square of logarithm of diameter (Log²D), square of logarithm of total tree height (Log⁴H)

and the logarithm of multiplication of total tree height and square of diameter (LogD²H) were independent variables.

The literature on volume equations is abundant. The estimation of parameters of these equations, which were quite complicated, and determining most suitable equations take a long time. 26 various equations those of 11 (1-11) are involved in literature and 15 (12-26) are new, were examined to construct double-entry stem volume tables for ash. Various model forms used in the past and firstly in the present study to estimate tree volume were given as followings:

$$V = b_1 D^2 H$$
 (Constant Form, S.G. Spurr 1952) (1)

$$V = b_0 + b_1 D^2 H$$
 (Combined Variable, S.H. Spurr 1952) (2)

$$V = b_0 + b_1 D^2 + b_2 H + b_3 D^2 H$$
 (Generalized Com. Var. Stoate) (3)

$$V = b_0 D^{b_1} H^{b_2}$$
 (Schumacher-Hall 1953) (4)

$$V = D^{2} / (b_{0} + b_{1}H^{-1})$$
 (Honer transformed Variable) (5)

$$V = D^{2}(b_{0} + b_{1}H) \text{ (Ogaya 1968)}$$

$$V = b_1 D^2 + (b_2 H + b_3 DH + b_4 D^2) H \text{ (Naslund)}$$
 (7)

$$V = b_0 + b_1 D + b_2 D^2 + (b_3 DH + b_4 D^2) H \text{ (Meyer 1953)}$$

$$V = (D^2 H)/(b_0 + b_1 D)$$
 (Takata) (9)

$$LogV = b_0 + b_1 Log(D^2 H)$$
 (S.H. Spurr) (10)

$$LogV = b_0 + b_1 LogD + b_2 (LogD)^2 + b_3 LogH + b_4 (LogH)^2$$
 (Prodan) (11)

$$V = b_0 + b_1 D^2 + b_2 H^2 + b_3 D H^2 + b_4 D^2 H$$
(12)

$$V = b_1 D + b_2 D^2 + b_3 D H + b_4 D^2 H$$
(13)

$$V = b_1 D^2 + b_2 H^2 + b_3 D H^2 + b_4 D^2 H^2$$
(14)

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 (1/D)$$
 (15)

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 (LogD)^4$$

$$(16)$$

$$LogV = b_0 + b_1 LogD + b_2 (LogD)^4 + b_3 LogH + b_4 (LogH)^4$$
 (17)

$$LogV = b_0 + b_1 LogD + b_2 D^2 + b_3 LogH$$
 (18)

$$V = b_1 DH + b_2 D^2 H \tag{19}$$

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 (LogH)^2$$
(20)

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 (LogH)^4$$
(21)

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 (1/H)$$
(22)

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 D^2$$
 (23)

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 D^2 H$$
(24)

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 H^2$$
 (25)

$$LogV = b_0 + b_1 LogD + b_2 LogH + b_3 DH^2$$
 (26)

Six performance criteria based on differences between observed volume and estimated volume from equations were used in choosing the best fitted volume equation. First four criteria were general criteria used for all regression equations in choosing best model. The remaining two criteria were used as a criterion for volume equations (2). The criteria were presented as followings.

1-Average Residual or Bias:
$$\overline{D} = (\sum D_i)/N$$
 (27)

2-Average Absolute Residual:
$$|\overline{D}| = (\sum |D_i|)/N$$
 (28)

3-Standard Deviation of the Residual:

$$S_D = \{ [(\sum D_i^2) - (\sum D_i)^2 / N] / N - 1 \}^{1/2}$$
 (29)

4-Percent Variation Explained:

$$\%PVE = \{ [\sum (V_i - V_{ort})^2 - (\sum D_i^2)] / \sum (V_i - V_{ort})^2 \} *100$$
 (30)

5-Error:
$$E = 100 \times (\sum (\hat{V}_i - V_i) / \sum V_i)$$
 (4)

6-Absolute Error:
$$AE = \frac{100}{N} \times \left(\sum \left| (\hat{V}_i - V_i) / V_i \right| \right)$$
 (5)

where $D_i = \hat{V_i} - V_i$, V_i : observed stem volume, $\hat{V_i}$: predicted stem volume, V_{ort} : average of observed stem volume and N: number of sample tree.

The least squares method was used in estimation of parameters of equations because all of the volume equations were linear. Estimations of parameters, the significant level of estimations, F-ratio, coefficient of determination (R²), standard error of estimation (SE), Durbin-Whatson- value and values of criteria were calculated using the Regression Analysis procedure in SPSS software.

Validation of the best fitted volume equation determined according to above six performance criteria was tested by means of Student's paired t test was calculated as (6, 7):

$$t = \frac{d}{S_{\overline{d}}} \tag{33}$$

where \overline{d} is the average of residuals between predicted and observed stem volumes in test data set and $S_{\overline{d}}$ is Standard error of residuals, Large t values provided evidence of lack of fit.

4. RESULTS

Total twenty-six volume equations were examined. Estimations of parameters, significant levels of parameters, and correction factor –only for logaritmic equations- were given in Table 4.

The results of six performance criteria were given in Table 5. Rank of every volume equation determined according to these six criteria was also shown in Table 5.

All of the equations were evaluated according to each criterion. Each equation was assigned a score, calculated as a function of each criterion. A scoring schema was developed according to error terms of each equation. The scoring scale runs from 1 (the lowest error rate) to 26 (the highest score). Given a specific error criterion, 26 equations were evaluated. Then, the error rate of the criterion was scaled for all the equations from top to bottom. For example, Equation #1 was scored 26 for average residual (\overline{D}) criterion since its value was the highest among 26 equations. Similarly, a score was calculated for each criterion for a given equation and all scores were summed (the RANK column in Table 5) to indicate the fittness of the equation. Then, all equations were ranked according to the total score (RANK) received. Equation that had the lowest total rank value was assumed to be the best fitted volume equation. The best fitted volume equation selected form among twelve-six volume

equations was Equation #19 (Table 5). Equation #19 whose F-ratio calculated as 11066.0 had an appropriate level of reliability (α =0.001). Table 4. Estimated parameters for double-entry volume equations

E.No	b ₀	b ₁	b ₂	b ₃	b ₄	f
1	<u> </u>	0.000029			· ·	
2	0.208957	0.000028				
3	-0.169603 *	0.00007 NS	0.016498 ***	0.000024		
4	-4.019432	1.724667	0.989414			1.0079401
f	***	***	***			1.0079401
5	486.880492 ***	16731.359 ***				
6	0.000274 ***	0.00023				
7		0.000147 NS	0.000241 NS	0.0000038	0.000021 ***	
8	0.088812 NS	-0.011138 NS	0.000203 NS	0.000637	0.000018	
9	20873.931	214.66033				
10	-3.988636	0.894898				1.0080912
f	***	***				
11	-4.094379	1.934226	-0.067602	0.878834	0.035614	1.007949
f	***	***	NS	**	NS	
12	-0.013989 NS	0.000156 NS	0.000271 NS	0.0000032 NS	0.000021 ***	
13		-0.002507 NS	0.000074 NS	0.000467	0.000021	
14		0.000463	0.000147 NS	0.0000070 NS	0.0000003	
15 f	-3.883623 ***	1.671148	0.968413	-0.709568		1.0078521
16 f	-4.053127 ***	1.767425	0.978383	-0.002657 NS		1.0079511
17 f	-4.069685 ***	1.75541	-0.00186 NS	1.009427	-0.003247 NS	1.0079758
18	-4.014035	1.71628	8.7199E-7	0.993657	113	1.0079647
f	***	***	NS	***		1.0077017
19		0.000395	0.000023			
20 F	-4.097055 ***	1.725893	1.112878	-0.048861 NS		1.0079571
21 F	-4.071229 ***	1.726258	1.043271	-0.006306 NS		1.0079536
22	-3.979853	1.725352	0.965717	-0.171431		1.0079630
F 23	-4.014035	1.71628	0.993657	NS 8.7198E-7		1.0079647
F	***	**	***	NS		1.00//04/
24 F	-4.011505 ***	1.714794	0.993309	3.2219E-8 NS		1.0086395
25	-4.056092 ***	1.726789	1.02219	-0.000016		1.0079516
F 26	-4.024474	1.72788	0.990358	-3.453E-8		1.0079661
F	***	***	***	NS		

Note: f = Correction Factor, NS = p>0.05, * = p<0.05, ** = p<0.01, *** = p<0.001

Table 5. Criteria Values for Double-Entry Volume Equations

Equation No	Table 5. Criteria Values for Double-Entry Volume Equations											
Paper	E 4 N	\overline{D}	\overline{D}	S_{D}	PVE			DANIZ				
19	Equation No	(m^3)		(m^3)	(%)	(%)	(%)	RANK				
19				0.312	07.14	0.020	10.13					
8 -0.000 0.200 0.312 97.15 -0.000 10.21 18.0 12 0.000 0.200 0.312 97.14 0.000 10.19 18.5 7 0.001 0.200 0.312 97.14 0.057 10.20 29 13 -0.002 0.198 0.312 97.14 -0.090 10.12 29 13 -0.002 0.198 0.312 97.14 -0.090 10.12 29 18 -0.001 0.201 0.318 97.03 0.044 10.24 52 23 7 10.5 10.5 10.5 5.5 8 52 24 0.003 0.200 0.317 97.04 0.160 10.23 54 3 0.000 0.203 0.313 97.13 0.004 10.24 55.5 4 0.003 0.200 0.317 97.04 0.160 10.23 54 3 0.000 0.203	19							16.5				
8 2.5 4.5 3 1 2 5 18.0 12 0.000 0.200 0.312 97.14 0.000 10.19 18.5 7 0.001 0.200 0.312 97.14 0.057 10.20 29 13 -0.002 0.198 0.312 97.14 -0.090 10.12 29 13 -11 1.5 3 3.5 7 4 29 18 0.001 0.201 0.318 97.03 0.044 10.24 52 23 0.001 0.201 0.318 97.03 0.044 10.24 52 24 0.003 0.200 0.317 97.04 0.160 10.23 54 3 0.000 0.203 0.317 97.04 0.160 10.23 54 4 0.001 0.201 0.321 96.97 0.059 10.28 64.5 3 0.250 0.331 97.13 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
12	8							18.0				
12 2.5 4.5 3 3.5 2 3 18.5 7 0.001 0.200 0.312 97.14 0.057 10.20 29 13 -0.002 0.198 0.312 97.14 -0.090 10.12 29 18 0.001 0.201 0.318 97.03 0.044 10.24 52 23 0.001 0.201 0.318 97.03 0.044 10.24 52 24 0.003 0.200 0.317 97.03 0.044 10.24 52 24 0.003 0.200 0.317 97.03 0.044 10.24 52 24 13.5 4.5 9 9 12 6 54 3 0.000 0.201 0.317 97.03 0.044 10.24 55.5 4 13.5 4.5 9 9 12 6 6 24 13.5 4.5 9 9 12 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>												
7 0.001 0.200 0.312 97.14 0.057 10.20 29 13 -0.002 0.198 0.312 97.14 -0.090 10.12 29 18 -0.001 0.201 0.318 97.03 0.044 10.24 52 23 7 10.5 10.5 10.5 5.5 8 52 24 0.003 0.200 0.317 97.04 -0.160 10.23 54 24 13.5 4.5 9 9 12 6 54 3 0.000 0.203 0.313 97.03 0.004 10.24 52 24 13.5 4.5 9 9 12 6 54 3 0.000 0.203 0.313 97.13 0.000 10.34 55.5 4 -0.001 0.201 0.321 96.97 0.059 10.28 64.5 2 1.1 10.5 13 12.5	12							18.5				
13												
13	7							29				
13 11 1.5 3 4.5 9 1 29 18 0.001 0.201 0.318 97.03 0.044 10.24 52 23 0.001 0.201 0.318 97.03 0.044 10.24 52 24 0.003 0.200 0.317 97.04 0.160 10.23 54 3 0.000 0.203 0.313 97.13 0.000 10.34 55.5 4 -0.001 0.201 0.321 96.97 0.059 10.28 64.5 4 -0.001 0.201 0.321 96.97 0.059 10.28 64.5 22 -0.001 0.201 0.321 96.97 -0.059 10.28 71.5 10 0.007 0.201 0.321 96.97 -0.059 10.28 71.5 22 -0.002 0.201 0.321 96.97 -0.059 10.28 71.5 10 0.007 0.201												
18 0.001 0.201 0.318 97.03 0.044 10.24 52 23 0.001 0.201 0.318 97.03 0.044 10.24 52 24 0.003 0.200 0.317 97.04 0.160 10.23 54 3 0.000 0.203 0.313 97.13 0.000 10.34 55.5 4 -0.001 0.201 0.321 96.97 0.059 10.28 64.5 2 -0.002 0.201 0.321 96.97 0.059 10.28 64.5 4 -0.001 0.201 0.321 96.97 0.059 10.28 64.5 22 -0.002 0.201 0.321 96.97 -0.059 10.28 71.5 10 0.0007 0.201 0.321 96.97 -0.059 10.28 71.5 20 -0.004 0.201 0.321 96.97 -0.126 10.28 71.5 10 0.007	13							29				
18												
10.5	18							52				
23 7 10.5 10.5 10.5 5.5 8 24 0.003 0.200 0.317 97.04 0.160 10.23 54 3 0.000 0.203 0.313 97.13 0.000 10.34 55.5 4 -0.001 0.201 0.321 96.97 0.059 10.28 64.5 2 -0.002 0.201 0.321 96.97 -0.126 10.28 71.5 22 -0.002 0.201 0.321 96.97 -0.126 10.28 71.5 10 0.007 0.201 0.314 97.10 0.371 10.24 73.5 20 -0.004 0.201 0.321 96.96 -0.181 10.27 79.5 20 -0.004 0.201 0.322 96.96 -0.181 10.27 79.5 21 -0.004 0.201 0.322 96.96 -0.209 10.27 84.5 25 -0.004 0.201	10							32				
24 0.003 0.200 0.317 97.04 0.160 10.23 54 3 0.000 0.203 0.313 97.13 0.000 10.34 55.5 4 -0.001 0.201 0.321 96.97 0.059 10.28 64.5 2 -0.002 0.201 0.321 96.97 -0.126 10.28 71.5 22 -0.002 0.201 0.321 96.97 -0.126 10.28 71.5 10 0.007 0.201 0.321 96.97 -0.126 10.28 71.5 10 0.007 0.201 0.314 97.10 0.371 10.24 73.5 20 -0.004 0.201 0.321 96.96 -0.181 10.27 79.5 21 -0.004 0.201 0.322 96.96 -0.209 10.27 83.5 25 -0.004 0.201 0.322 96.96 -0.228 10.27 84.5 26 -0.004	22	0.001	0.201	0.318	97.03			52				
13.5	23	7	10.5	10.5	10.5	5.5	8	32				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	24	0.003	0.200	0.317	97.04	0.160	10.23	5 1				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	<i>2</i> 4	13.5	4.5	9	9	12	6	54				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2	0.000	0.203	0.313	97.13	0.000	10.34	55.5				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3							55.5				
4 7 10.5 13 12.5 8 13.5 64.5 22 -0.002 0.201 0.321 96.97 -0.126 10.28 71.5 10 0.007 0.201 0.314 97.10 0.371 10.24 73.5 20 -0.004 0.201 0.321 96.96 -0.181 10.27 79.5 21 -0.004 0.201 0.322 96.96 -0.209 10.27 83.5 21 -0.004 0.201 0.322 96.96 -0.209 10.27 83.5 21 -0.004 0.201 0.322 96.96 -0.209 10.27 83.5 25 -0.004 0.201 0.322 96.96 -0.228 10.27 84.5 26 -0.002 0.202 0.322 96.95 -0.112 10.29 85.5 14 18 20 8 8 17 21 92 15 -0.001 0.202												
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	4							64.5				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$												
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	22							71.5				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$												
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	10							73.5				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$												
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	20							79.5				
21 16 10.5 16 15 15 11 83.5 25 -0.004 0.201 0.322 96.96 -0.228 10.27 84.5 26 -0.002 0.202 0.322 96.95 -0.112 10.29 85.5 14 0.005 0.203 0.315 97.08 0.269 10.38 92 15 -0.001 0.202 0.331 96.78 -0.604 10.32 104.5 17 -0.001 0.202 0.331 96.78 -0.604 10.32 104.5 17 -0.006 0.202 0.326 96.87 -0.320 10.31 106 16 -0.006 0.202 0.328 96.83 -0.324 10.33 111.5 5 0.003 0.225 0.359 96.21 0.165 11.47 121.5 5 13.5 24 23 13 24 121.5 1 -0.009 0.203 0.333 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>												
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	21							83.5				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$												
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	25							84.5				
26 11 16.5 16 17 10 15 85.5 14 0.005 0.203 0.315 97.08 0.269 10.38 92 15 18 20 8 8 17 21 92 15 -0.001 0.202 0.331 96.78 -0.604 10.32 104.5 17 -0.006 0.202 0.326 96.87 -0.320 10.31 106 17 -0.006 0.202 0.326 96.87 -0.320 10.31 106 16 -0.006 0.202 0.328 96.83 -0.324 10.33 111.5 5 0.003 0.225 0.359 96.21 0.165 11.47 121.5 1 -0.009 0.203 0.333 96.74 -0.473 10.36 127 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 9 -0.038 0.216 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0 1.2</td></td<>								0 1.2				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	26							85.5				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	20							05.5				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.4	0.005	0.203	0.315	97.08	0.269	10.38	02				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	14	18	20	8	8	17	21	92				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1.5	-0.001	0.202	0.331	96.78	-0.604	10.32	104.5				
17 19.5 16.5 18 18 18 16 106 16 -0.006 0.202 0.328 96.83 -0.324 10.33 111.5 19.5 16.5 19.5 19 19 18 111.5 5 0.003 0.225 0.359 96.21 0.165 11.47 121.5 11 -0.009 0.203 0.333 96.74 -0.473 10.36 127 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 9 -0.038 0.216 0.381 95.69 -1.926 11.03 142 1 -0.108 0.242 0.343 96.19 5.523 12.36 151	13			21				104.3				
17 19.5 16.5 18 18 18 16 106 16 -0.006 0.202 0.328 96.83 -0.324 10.33 111.5 19.5 16.5 19.5 19 19 18 111.5 5 0.003 0.225 0.359 96.21 0.165 11.47 121.5 11 -0.009 0.203 0.333 96.74 -0.473 10.36 127 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 9 -0.038 0.216 0.381 95.69 -1.926 11.03 142 1 -0.108 0.242 0.343 96.19 5.523 12.36 151	17	-0.006	0.202	0.326	96.87	-0.320	10.31	100				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 /							106				
16 19.5 16.5 19.5 19 19 18 111.5 5 0.003 0.225 0.359 96.21 0.165 11.47 121.5 11 -0.009 0.203 0.333 96.74 -0.473 10.36 127 2 20 22 22 21 20 127 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 9 -0.038 0.216 0.381 95.69 -1.926 11.03 142 1 -0.108 0.242 0.343 96.19 5.523 12.36 151												
5 0.003	16							111.5				
5 13.5 24 24 23 13 24 121.5 11 -0.009 0.203 0.333 96.74 -0.473 10.36 127 2 20 22 22 21 20 127 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 2 23 23 19.5 20 23 23 131.5 9 -0.038 0.216 0.381 95.69 -1.926 11.03 142 1 -0.108 0.242 0.343 96.19 5.523 12.36 151												
11 -0.009 0.203 0.333 96.74 -0.473 10.36 22 20 22 22 21 20 127 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 2 23 23 19.5 20 23 23 131.5 9 -0.038 0.216 0.381 95.69 -1.926 11.03 142 24 22 25 25 24 22 1 -0.108 0.242 0.343 96.19 5.523 12.36 151	5							121.5				
11 22 20 22 22 21 20 127 2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 2 23 23 19.5 20 23 23 131.5 9 -0.038 0.216 0.381 95.69 -1.926 11.03 142 24 22 25 25 24 22 12.36 1 -0.108 0.242 0.343 96.19 5.523 12.36 151												
2 0.024 0.224 0.328 96.82 1.248 11.43 131.5 9 -0.038 0.216 0.381 95.69 -1.926 11.03 142 24 22 25 25 24 22 1236 151	11							127				
2 23 23 19.5 20 23 23 131.5 9 -0.038 0.216 0.381 95.69 -1.926 11.03 142 24 22 25 25 24 22 12.36 1 -0.108 0.242 0.343 96.19 5.523 12.36 151												
9	2							131.5				
9 24 22 25 25 24 22 -0.108 0.242 0.343 96.19 5.523 12.36												
-0.108 0.242 0.343 96.19 5.523 12.36 151	9							142				
	- 											
26 26 23 24 26 26	1							151				
		26	26	23	24	26	26	1.7.1				

	0.075	0.240	0.400	95.14	3.830	12.24	1.50
6	25	25	26	26	25	25	152

The Durbin-Whatson test was used to see that if the residual terms of the best fitted volume equation were related to. The DW-value was then calculated as 1.85. Thus, it seemed that residual terms have a random distribution.

Coefficient of determination (R²) and standard error (SE) of the best fitted volume equation were 0.99 and 0.312 m³, respectively.

Average residual, average absolute residual, standard deviation of residual, percent variation explained, percent error, and percent absolute error of the best fitted volume equation (Equation #19) were found as -0.000 m^3 , 0.198 m^3 , 0.312 m^3 , 97.14%, -0.020%, and 10.13%, respectively.

Student's paired t test gave no evidence of lack of fit between predicted and observed volume values (t-value= 0.810, p>0.05). Thus, it was concluded that the best fitted equation could be used for other ash stands in Turkey.

Ash Double-Entry Stem Volume Table constructed according to Equation #19 was given in Table 6.

Table 6. Double-entry volume table for ash

	i abie	0. D0u	DIC-CIIII	ly voiui	ne table	ioi asii	l					
dbh				T (O T A L	TREE	HEIC	G H T (1	n)			
cm	7	10	13	16	19	22	25	28	31	34	37	40
6	0.022											
10	0.044	0.063	0.081									
14	0.070	0.100	0.131	0.161								
18		0.146	0.189	0.233	0.277							
22		0.198	0.258	0.317	0.377	0.436	0.496					
26			0.336	0.413	0.491	0.568	0.646	0.723				
30			0.423	0.521	0.619	0.716	0.814	0.911	1.009			
34				0.640	0.760	0.880	1.000	1.121	1.241	1.361	1.4807	
38				0.772	0.916	1.061	1.206	1.350	1.495	1.640	1.7842	
42					1.086	1.258	1.429	1.601	1.772	1.944	2.1150	
46					1.270	1.470	1.671	1.872	2.072	2.273	2.4730	
50						1.700	1.931	2.163	2.395	2.627	2.8583	
54						1.945	2.210	2.475	2.740	3.006	3.2707	
58						2.206	2.507	2.808	3.109	3.410	3.7104	
62						2.484	2.823	3.161	3.500	3.839	4.1774	
66							3.157	3.535	3.914	4.293	4.6715	
70								3.930	4.351	4.772	5.1930	
74								4.345	4.811	5.276	5.7416	
78								4.781	5.293	5.805	6.3175	
82								5.237	5.798	6.359	6.9206	
86									6.326	6.939	7.7509	
90										7.543	8.2085	8.8740
94										8.172	8.8932	9.6143
98										8.827	9.6053	10.384
102										9.506	10.345	11.183
106							·			10.210	11.111	12.012
110										10.940	11.905	12.870

5. CONCLUSIONS

In the present study, successful results were obtained for ash that was a forked tree species and has not a straight bole.

The best volume equation (Equation #19) had a very high coefficient of determination (R^2 =0.99) and a low standard error (SE=0.312 m³) of which percent error and percent absolute error was -0.020% and 10.13%, respectively.

The residuals between predicted from the volume equation and observed volume values have shown normal distribution.

The average of the residuals was insignificant at p>0.05. In other words, selected volume equation which was tested by means of Student's paired t test has an appropriate level of reliability.

With this study was developed double-entry stem volume table for ash, one of the most important commercial forest species in Turkey. Thus, it was dealt with an important lack of forestry applications, especially forest management plannings.

REFERENCES

- 1. Loetsch, F., Zöhrer, F., Haller, K.E. Forest Inventory, Volume II, BLV Verlagsgesellschaft, München, 1973.
- 2. Philip, M.S., Measuring Trees and Forests, Second Edition, CAB International, Department of Forestry, University of Aberden, UK, 1994.
- 3. Vanclay, J.K., Modelling Forest Growth and Yield: Applications to Mixed Tropical Forests, CAB International, Wallingford, Oxon, 1994.
- 4. Burk, T.E., Hans, R.P., Wharton, E.H., Individual Tree Volume Models for The Northestern United States: Evaluation and New Form Quotient Board Foot Models, Northern Journal of Applied Forestry, 6 (1989) 27-31.
- 5. Hahn, J.T., Hansen, M.H., Cubic Board Foot Volume Models for the Central States, Northern Journal of Applied Forestry, 8 2 (1991) 47-57.
- 6. Mason, R.D., Lind, D.A., Marchal, W.G., Statistics an Introduction, The University of Toledo, Fourth Edition, Sounders College Publishing, Harcourt Brace College Publishers, Toledo, 1994.
- 7. Barlow, R.J., Statistics, A guide to the Use of Statistical Methods in the Physical Sciences, John Wiley & Sons ltd, BaffinsLane, Chichester West Sussex, England, 1997.